

Search Notes

Dialog DataStar

options

logout

feedback

help

databases

easy
search

Advanced Search: INSPEC - 1969 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	grism AND critical ADJ angle AND (spectrometer OR spectrophotometer OR spectrograph)	unrestricted	0	-

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#)

whole document

Information added since: or: none ☒
(YYYYMMDD)

search

Select special search terms from the following list(s):

- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control, 0-9
- ☒ Classification codes D: Information Technology, 0-9
- ☒ Treatment codes
- ☒ INSPEC sub-file
- ☒ Publication types
- ☒ Language of publication



Welcome
United States Patent and Trademark Office



» Advan

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.
Example: optical <and> (fiber <or> fibre) <in> ti
- 3) Limit the results by selecting Search Options.
- 4) Click Search. See [Search Examples](#)

grism <and> critical angle
<and> (spectrometer <or>
spectrophotometer <or>
spectrograph)

Start Search

Clear

Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:

Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

From year: to

Organize search results by:

Sort by:

In: order

List Results per page

Google

grism "critical angle"

Google Search

Web Images Groups Directory News

Searched the web for grism "critical angle"

Results 1 - 4 of 4. Search took 0.38 seconds.

Try Google Answers to get help from expert researchers.

Did you mean: [grisham "critical angle"](#)[\[PDF\] Development of a volume phase holographic \(VPH\) grism for visible ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)... If a ray enters obliquely in the **grism** above from prism side, **critical angle** become larger, but optical axis of the **grism** is sifted in parallel between the ...optik2.mtk.nao.ac.jp/~iye/papers/iye164.pdf - [Similar pages](#)[Student Support Forum: 'Optica: Grism Modeling / Diffr. at the ...](#)... for small angles, but at angles > **critical angle**, I get TIR and the diffracted rays are all relected back into the medium, whereas a true **GRISM** should transmit ...forums.wolfram.com/student-support/topics/6167-11k - [Cached](#) - [Similar pages](#)[\[PDF\] IR RS SA](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)... a higher number of reflections and incidence angles closer to the **critical angle** and thus ... the use of a Carpenter's prism, also known as **GRISM** (grating prism ...www.iac.tuwien.ac.at/~ascos/lectures/kraft.pdf - Supplemental Result - [Similar pages](#)[\[ps\] Infrared-Optical Telescope Array \(IOTA\)](#)File Format: Adobe PostScript - [View as Text](#)... r. o. . Per mezzo delle fibre ottiche, questa porzione del fronte d'onda raggiunge la fenditura di uno spettrometro-**grism**. 1. che, 'e ...cfa-www.harvard.edu/~iporro/whole_iota.ps - [Similar pages](#)Did you mean to search for: [grisham "critical angle"](#)

grism "critical angle"

Google Search

[Search within results](#)Dissatisfied with your search results? [Help us improve.](#)[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs Press & Help](#)

©2004 Google

EAST - [Default EAST Workspace 1600x1200 wsp:1]

File View Edit Tools Window Help

☐ Drafts
☐ Pending
☒ **Active**
 ☒ L1: (7) grism and (critical adj angle\$
 ☒ L2: (3) grism and (critical adj angle\$
☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

DBs: USPAT; US-PGPUB
 Default operator: OR
☐ Plurals
☒ Highlight all hit terms initially

☒ BRS1... ☒ USPT ☒ Image ☒ Text ☒ HTML

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	7	grism and (critical adj angle\$1)	USPAT; US-PGPUB
2	BRS	L2	3	grism and (critical adj angle\$1)	EPO; JPO; DERWENT; IBM_TDB